

Linux Lab Software List for Fall 09

WT127

| Software Name - Fedora 10 | Version |
|----------------------------------|-----------|
| Scilab & Documentation | 5.1.1 |
| Medit | 0.9.4 |
| Netbeans | 6.5.1 |
| sakura | 2.3.3 |
| basesystem | 10.0 |
| popt | 1.13 |
| libutempter | 1.1.5 |
| OpenEXR-libs | 1.6.1 |
| libc_u | 4.0 |
| make | 3.81 |
| cpp | 4.3.2 |
| libgomp | 4.3.2 |
| libshout | 2.2.2 |
| setools-console | 3.3.5 |
| libiptcdata | 1.0.2 |
| lzma | 4.32.7 |
| nss_db | 2.2 |
| telnet | 0.17 |
| tree | 1.5.2.1 |
| hesiod-devel | 3.1.0 |
| xorg-x11-xauth | 1.0.2 |
| libao | 0.8.8 |
| openldap | 2.4.12 |
| libsexy | 0.1.11 |
| ppp | 2.4.4 |
| at-spi | 1.24.0 |
| GConf2-gtk | 2.24.0 |
| cupsddk-drivers | 1.2.3 |
| redland | 1.0.7 |
| wget | 1.11.4 |
| python-reportlab | 2.1 |
| m17n-db-oriya | 1.5.3 |
| newt-python | 0.52.10 |
| gamin-python | 0.1.9 |
| libXcomposite-devel | 0.4.0 |
| psutils | 1.17 |
| fedorainfinity-screensaver-theme | 1.0.0 |
| libgnomeprintui22 | 2.18.3 |
| scim-python | 0.1.13rc1 |
| xorg-x11-drv-neomagic | 1.2.0 |
| scim-bridge-gtk | 0.4.15 |
| konversation | 1.1 |
| gnome-python2-gnome | 2.22.3 |
| anaconda-yum-plugins | 1.0 |

| | |
|-------------------------------|-----------|
| mkinitrd | 6.0.71 |
| sat4j | 2.0.0 |
| bcel | 5.2 |
| bsf | 2.3.0 |
| java-1.5.0-gcj-devel | 1.5.0.0 |
| ant-commons-net | 1.7.1 |
| tzdata | 2009e |
| crontabs | 1.10 |
| sqlite | 3.5.9 |
| shared-mime-info | 0.51 |
| anthy | 9100h |
| openobex | 1.4 |
| mesa-dri-drivers | 7.2 |
| poppler-utils | 0.8.7 |
| apr-util-ldap | 1.3.4 |
| device-mapper-devel | 1.02.27 |
| gpm-devel | 1.20.5 |
| coreutils | 6.12 |
| pygtk2-libglade | 2.13.0 |
| libxim | 0.3.2 |
| gegl | 0.0.22 |
| audit | 1.7.12 |
| m17n-contrib | 1.1.8 |
| m17n-contrib-hindi | 1.1.8 |
| rpm-python | 4.6.0 |
| perl-ExtUtils-ParseXS | 2.18 |
| mysql | 5.0.77 |
| kernel | 2.6.27.21 |
| gnome-session | 2.24.3 |
| gvfs-smb | 1.0.3 |
| nautilus | 2.24.2 |
| gnome-system-monitor | 2.24.3 |
| hal | 0.5.12 |
| setroubleshoot-server | 2.0.12 |
| setroubleshoot | 2.0.12 |
| PackageKit | 0.3.15 |
| kdepimlibs-akonadi | 4.2.3 |
| kdm | 4.2.3 |
| openoffice.org-xsltfilter | 3.0.1 |
| VMware-Workstation | 6.5.2 |
| putty | 0.60 |
| mesa-libGLw | 6.5.1 |
| xorg-x11-drv-nvidia-96xx-libs | 96.43.11 |
| svncpp | 0.9.6 |
| vte-devel | 0.17.4 |
| filesystem | 2.4.19 |
| texlive-texmf-errata-latex | 2007 |
| m17n-db-thai | 1.5.3 |
| libart_lgpl | 2.3.20 |

| | |
|--------------------------|---------|
| libtiff | 3.8.2 |
| cyrus-sasl-lib | 2.1.22 |
| diffutils | 2.8.1 |
| cpio | 2.9.90 |
| newt | 0.52.10 |
| plymouth-libs | 0.6.0 |
| ncurses | 5.6 |
| hyphen | 2.4 |
| boost | 1.34.1 |
| bc | 1.06 |
| rmt | 0.4b41 |
| mingetty | 1.08 |
| sg3_utils-libs | 1.26 |
| dump | 0.4b41 |
| dos2unix | 3.1 |
| lohit-fonts-tamil | 2.3.1 |
| lohit-fonts-maithili | 2.3.1 |
| libXxf86vm | 1.0.2 |
| libXres | 1.0.3 |
| mailx | 12.4 |
| libgnumekbd | 2.24.0 |
| sox | 14.1.0 |
| dirmngr | 1.0.2 |
| pam_pkcs11 | 0.5.3 |
| ghostscript-fonts | 5.50 |
| grub | 0.97 |
| plymouth-system-plugin | 0.6.0 |
| ndesk-dbus-glib | 0.4.1 |
| libopensync | 0.36 |
| libXpm-devel | 3.5.7 |
| pm-utils | 1.2.2.1 |
| pygtksourceview | 2.4.0 |
| authconfig-gtk | 5.4.4 |
| rng-utils | 2.0 |
| ccid | 1.3.8 |
| libbonoboui | 2.24.0 |
| perl-Error | 0.17015 |
| gtk-doc | 1.10 |
| im-chooser | 1.2.5 |
| xorg-x11-drv-v4l | 0.2.0 |
| xorg-x11-drv-elographics | 1.2.3 |
| xorg-x11-drv-jamstudio | 1.2.0 |
| scim-hangul | 0.3.2 |
| vino | 2.24.1 |
| libtool | 1.5.26 |
| totem | 2.24.3 |
| gnome-utils | 2.24.1 |
| squashfs-tools | 3.4 |
| system-config-keyboard | 1.2.15 |

| | |
|------------------------------|----------|
| icu4j-eclipse | 3.8.1 |
| jakarta-oro | 2.0.8 |
| jakarta-commons-discovery | 0.4 |
| lucene-contrib | 2.3.1 |
| ant-jsch | 1.7.1 |
| hwdata | 0.222 |
| glibc | 2.9 |
| pkgconfig | 0.23 |
| pulseaudio-libs | 0.9.14 |
| elfutils-libs | 0.141 |
| ggz-client-libs | 0.0.14.1 |
| dcraw | 8.89 |
| compiz-fusion | 0.7.8 |
| dvd+rw-tools | 7.1 |
| libgdiplus-devel | 2.2 |
| aspell-en | 6.0 |
| pygtk2 | 2.13.0 |
| ghostscript | 8.63 |
| bind-libs | 9.5.1 |
| f-spot | 0.5.0.3 |
| bind-utils | 9.5.1 |
| gnome-themes | 2.24.3 |
| perl-Compress-Raw-Zlib | 2.008 |
| kde-settings-kdm | 4.1 |
| libsane-hpaio | 2.8.12 |
| docbook-utils | 0.6.14 |
| libgnome | 2.24.1 |
| gstreamer-plugins-good | 0.10.13 |
| gvfs-archive | 1.0.3 |
| kio_sysinfo | 20090216 |
| dhclient | 4.0.0 |
| system-config-services | 0.99.28 |
| kaffeine | 0.8.7 |
| gnome-power-manager | 2.24.4 |
| xorg-x11-drv-ati | 6.10.0 |
| openoffice.org-ure | 3.0.1 |
| openoffice.org-graphicfilter | 3.0.1 |
| openoffice.org-draw-core | 3.0.1 |
| kdeplasma-addons | 4.2.3 |
| gnuplot | 4.2.3 |
| gnome-vfs2-smb | 2.24.0 |
| rhppl | 1.9 |
| compat-libstdc++-296 | 2.96 |
| xmlrpc-c | 1.14.8 |
| solar-backgrounds | 0.92.0 |
| rootfiles | 8.1 |
| libSM | 1.1.0 |
| readline | 5.2 |
| gmp | 4.2.2 |

| | |
|--------------------------------------|--------------|
| cdparanoia-libs | 10.2 |
| pcsc-lite-libs | 1.4.102 |
| lockdev | 1.0.1 |
| libmp4v2 | 1.5.0.1 |
| tmpwatch | 2.9.13 |
| acl | 2.2.47 |
| lzo-minilzo | 2.03 |
| ltrace | 0.5 |
| pam_smb | 1.1.7 |
| byacc | 1.9.20070509 |
| slang-devel | 2.1.4 |
| kernel-devel | 2.6.27.5 |
| un-core-fonts-dotum | 1.0.2 |
| libXpm | 3.5.7 |
| xorg-x11-server-utils | 7.4 |
| openjade | 1.3.2 |
| fontconfig | 2.6.0 |
| desktop-file-utils | 0.15 |
| passwd | 0.75 |
| libwpd | 0.8.14 |
| cyrus-sasl-md5 | 2.1.22 |
| xorg-x11-apps | 7.3 |
| nc | 1.84 |
| python-slip-dbus | 0.1.15 |
| m17n-db-tamil | 1.5.3 |
| python-sqlite2 | 2.3.3 |
| system-config-firewall | 1.2.13 |
| autoconf | 2.63 |
| xorg-x11-drv-mouse | 1.3.0 |
| xorg-x11-drv-s3virge | 1.10.0 |
| xorg-x11-drv-nv | 2.1.12 |
| xorg-x11-drv-tek4957 | 1.2.0 |
| redhat-lsb | 3.2 |
| gnome-desktop-sharp | 2.24.0 |
| a2ps | 4.14 |
| busybox-anaconda | 1.10.3 |
| revisor-cli | 2.1.4 |
| fedora-usermgmt-default-fedora-setup | 0.10 |
| jakarta-commons-modeler | 2.0 |
| ant-jdepend | 1.7.1 |
| fedora-usermgmt-shadow-utils | 0.10 |
| fontpackages-filesystem | 1.20 |
| libxml2 | 2.7.3 |
| sed | 4.1.5 |
| libtalloc | 1.2.0 |
| binutils | 2.18.50.0.9 |
| libchewing | 0.3.2 |
| db4-cxx | 4.7.25 |
| ebook-tools-libs | 0.1.1 |

| | |
|------------------------|----------------|
| lvm2 | 2.02.39 |
| compiz-fusion-gnome | 0.7.8 |
| ckunifonts-uming | 0.2.20080216.1 |
| pam | 1.0.4 |
| java-1.6.0-openjdk | 1.6.0.0 |
| libcanberra-gtk2 | 0.10 |
| gnome-python2-gtkhtml2 | 2.19.1 |
| htdig | 3.2.0 |
| gcalctool | 5.24.3 |
| m17n-contrib-kannada | 1.1.8 |
| qt-x11 | 4.5.0 |
| kde-settings | 4.1 |
| glib2-devel | 2.18.4 |
| rpm-devel | 4.6.0 |
| avahi | 0.6.22 |
| kdelibs3 | 3.5.10 |
| yelp | 2.24.0 |
| akonadi | 1.1.1 |
| mousetweaks | 2.24.3 |
| gnome-session-xsession | 2.24.3 |
| hal-cups-utils | 0.6.19 |
| gdm-user-switch-applet | 2.24.1 |
| xorg-x11-drv-nouveau | 0.0.11 |
| sos | 1.8 |
| PyKDE4 | 4.2.3 |
| openoffice.org-calc | 3.0.1 |
| kdebase | 4.2.3 |
| libXp | 1.0.0 |
| unison227 | 2.27.57 |
| rpmfusion-free-release | 8 |
| libXft-devel | 2.1.13 |
| pango-devel | 1.22.3 |
| flash-plugin | 10.0.22.87 |
| nodoka-filesystem | 0.3.90 |
| xorg-x11-util-macros | 1.1.6 |
| specspo | 16 |
| libsepol | 2.0.33 |
| lua | 5.1.4 |
| libsic++20 | 2.2.2 |
| tcp_wrappers | 7.6 |
| texinfo | 4.12 |
| libx86 | 1.1 |
| lpsolve | 5.5.0.13 |
| bison | 2.3 |
| efibootmgr | 0.5.4 |
| diffstat | 1.43 |
| hyphen-en | 2.4 |
| ncurses-devel | 5.6 |
| pcsc-lite-devel | 1.4.102 |

| | |
|-----------------------------|----------|
| lohit-fonts-punjabi | 2.3.1 |
| libXfixes | 4.0.3 |
| libXScrnSaver | 1.1.3 |
| libdmx | 1.0.2 |
| libxklavier | 3.7 |
| libuser | 0.56.9 |
| rarian | 0.8.1 |
| GConf2 | 2.24.0 |
| gnome-mag | 0.15.4 |
| ConsoleKit-x11 | 0.3.0 |
| libopenraw-gnome | 0.0.5 |
| groff | 1.18.1.4 |
| libwmf | 0.2.8.4 |
| libSM-devel | 1.1.0 |
| m17n-db-malayalam | 1.5.3 |
| vte | 0.17.4 |
| openssh-clients | 5.1p1 |
| libXmu-devel | 1.0.4 |
| openssh-server | 5.1p1 |
| mono-web | 2.0.1 |
| groff-perl | 1.18.1.4 |
| xalan-j2 | 2.7.0 |
| xorg-x11-drv-calcomp | 1.1.2 |
| xorg-x11-drv-dmc | 1.1.2 |
| xorg-x11-drv-citron | 2.2.1 |
| lftp | 3.7.4 |
| html2ps | 1.0 |
| automake14 | 1.4p6 |
| texlive-latex | 2007 |
| gpg-pubkey | 4ebfc273 |
| cracklib-python | 2.8.12 |
| revisor | 2.1.4 |
| jakarta-commons-collections | 3.2 |
| wsdl4j | 1.5.2 |
| ant | 1.7.1 |
| ant-swing | 1.7.1 |
| xorg-x11-server-common | 1.5.3 |
| rhino | 1.7 |
| lcms-libs | 1.18 |
| gnome-menus | 2.24.2 |
| audit-libs-python | 1.7.12 |
| pixman | 0.12.0 |
| compiz | 0.7.8 |
| tk | 8.5.3 |
| libspiro | 20071029 |
| nspr-devel | 4.7.3 |
| gnome-user-docs | 2.24.2 |
| openssl | 0.9.8g |
| libwnck | 2.24.2 |

| | |
|--------------------------|---------|
| gtk-sharp2 | 2.12.7 |
| xorg-x11-xdm | 1.1.6 |
| httpd-tools | 2.2.11 |
| obex-data-server | 0.4.3 |
| m17n-contrib-bengali | 1.1.8 |
| rpm | 4.6.0 |
| perl-IO-Compress-Zlib | 2.008 |
| qzion | 0.3.0 |
| perl-libwww-perl | 5.823 |
| gssdp | 0.6.4 |
| cups | 1.3.10 |
| systemtap-runtime | 0.9.7 |
| gnome-terminal | 2.24.3 |
| system-config-printer | 1.0.16 |
| system-config-date-docs | 1.0.5 |
| kaffeine-libs | 0.8.7 |
| digikam | 0.10.0 |
| xorg-x11-drv-openchrome | 0.2.903 |
| kdeartwork-wallpapers | 4.2.3 |
| kdemultimedia-libs | 4.2.3 |
| openoffice.org-impress | 3.0.1 |
| kdebase-runtime-libs | 4.2.3 |
| wxGTK | 2.8.9 |
| xorg-x11-resutils | 7.1 |
| blender | 2.48a |
| libXrender-devel | 0.9.4 |
| atk-devel | 1.24.0 |
| AdobeReader_enu | 9.1.0 |
| texlive-texmf-errata | 2007 |
| mozilla-filesystem | 1.9 |
| solar-backgrounds-common | 0.92.0 |
| bluecurve-cursor-theme | 8.0.2 |
| libstdc++ | 4.3.2 |
| bzip2-libs | 1.0.5 |
| libXau | 1.0.4 |
| pcre | 7.8 |
| libpgg-error | 1.6 |
| libexif | 0.6.16 |
| hunspell | 1.2.7 |
| keyutils-libs | 1.2 |
| libopenraw | 0.0.5 |
| libdhcp | 1.99.8 |
| libotr | 3.2.0 |
| net-tools | 1.60 |
| djvulibre-libs | 3.5.20 |
| liboil | 0.3.14 |
| cdparanoia | 10.2 |
| cyrus-sasl-plain | 2.1.22 |
| libofa | 0.9.3 |

| | |
|-----------------------------------|---------|
| radeontool | 1.5 |
| zip | 2.31 |
| vbetool | 1.1 |
| libsemanage | 2.0.28 |
| ntfsprogs | 2.0.0 |
| jwhois | 4.0 |
| swig | 1.3.35 |
| rdate | 1.4 |
| rcs | 5.7 |
| zlib-devel | 1.2.3 |
| cracklib-dicts | 2.8.12 |
| libsepol-devel | 2.0.33 |
| newt-devel | 0.52.10 |
| gdbm-devel | 1.8.0 |
| padauk-fonts | 2.4 |
| stix-fonts | 0.9 |
| lohit-fonts-telugu | 2.3.1 |
| libXtst | 1.0.3 |
| libXi | 1.1.3 |
| libXaw | 1.0.4 |
| libXevie | 1.0.2 |
| libXxf86dga | 1.0.2 |
| qca2 | 2.0.0 |
| neon | 0.28.3 |
| usermode-gtk | 1.98.1 |
| ORBit2 | 2.14.16 |
| metacity | 2.24.0 |
| notification-daemon-engine-nodoka | 0.1.0 |
| libssh2 | 0.18 |
| libtunepimp | 0.5.3 |
| gststreamer-plugins-flumpegdemux | 0.10.15 |
| mozplugger | 1.10.1 |
| frysk | 0.4 |
| pam_creds | 7 |
| fedora-icon-theme | 1.0.0 |
| plymouth-plugin-solar | 0.6.0 |
| libICE-devel | 1.0.4 |
| python-paste | 1.7.1 |
| m17n-db-hindi | 1.5.3 |
| texlive | 2007 |
| kpathsea | 2007 |
| cyrus-sasl | 2.1.22 |
| notify-python | 0.1.1 |
| libxslt-python | 1.1.24 |
| gdb | 6.8 |
| pygpgme | 0.1 |
| kbd | 1.12 |
| system-config-firewall-tui | 1.2.13 |
| mono-winforms | 2.0.1 |

| | |
|---------------------------|------------|
| gnome-sharp | 2.24.0 |
| lm_sensors | 3.0.2 |
| xorg-x11-drv-void | 1.1.1 |
| lucene | 2.3.1 |
| cvs | 1.11.23 |
| xorg-x11-drv-mga | 1.4.9 |
| xorg-x11-drv-dynapro | 1.1.2 |
| xorg-x11-drv-fpit | 1.2.0 |
| xorg-x11-drv-diamondtouch | 0.2.0 |
| xorg-x11-drv-digitaledge | 1.1.1 |
| scim-m17n | 0.2.2 |
| valgrind | 3.3.0 |
| gok | 2.24.0 |
| scim-python-pinyin | 0.1.13rc1 |
| automake17 | 1.7.9 |
| gnome-python2-gconf | 2.22.3 |
| system-config-httpd | 1.4.4 |
| createrepo | 0.9.6 |
| libbdevid-python | 6.0.71 |
| dmraid-libs | 1.0.0.rc15 |
| anaconda | 11.4.1.63 |
| eclipse-ecj | 3.4.1 |
| tomcat5-jasper-eclipse | 5.5.27 |
| jakarta-commons-beanutils | 1.7.0 |
| jakarta-commons-dbcp | 1.2.1 |
| axis | 1.2.1 |
| junit4 | 4.5 |
| ant-nodeps | 1.7.1 |
| ant-commons-logging | 1.7.1 |
| eclipse-rcp | 3.4.1 |
| kernel-headers | 2.6.27.21 |
| festvox-kal-diphone | 0.19990610 |
| perl-Pod-Escapes | 1.04 |
| libattr | 2.4.43 |
| db4 | 4.7.25 |
| libsoup | 2.24.2.1 |
| pciutils-libs | 3.0.2 |
| pangomm | 2.14.1 |
| meanwhile | 1.1.0 |
| libggz | 0.0.14.1 |
| libmodplug | 0.8.7 |
| lcms | 1.18 |
| portreserve | 0.0.4 |
| libical | 0.43 |
| nss_compat_ossll | 0.9.5 |
| libdhcp4client | 4.0.0 |
| oprofile-gui | 0.9.4 |
| acpid | 1.0.6 |
| nss-devel | 3.12.2.0 |

| | |
|--------------------------|----------|
| db4-devel | 4.7.25 |
| vlgothic-fonts | 20090422 |
| xorg-x11-proto-devel | 7.4 |
| qt | 4.5.0 |
| libgnomecanvas | 2.20.1.1 |
| nautilus-extensions | 2.24.2 |
| libcanberra | 0.10 |
| kdelibs | 4.2.3 |
| kdenetwork-libs | 4.2.3 |
| openoffice.org-math-core | 3.0.1 |
| ksysguardd | 4.2.3 |
| alsa-utils | 1.0.20 |
| openoffice.org-pdfimport | 3.0.1 |
| kdebase-workspace-libs | 4.2.3 |
| rusers-server | 0.17 |
| gd | 2.0.35 |
| bluefish | 1.0.7 |
| samba | 3.2.11 |
| libXp-devel | 1.0.0 |
| gpg-pubkey | b1981b68 |
| openmotif | 2.3.0 |
| compat-libstdc++-33 | 3.2.3 |
| cairo-devel | 1.8.0 |
| jakarta-commons-codec | 1.3 |
| xemacs-packages-base | 20070427 |
| festival-lib | 1.96 |
| paps | 0.6.8 |
| postgresql-libs | 8.3.7 |
| vnc | 4.1.3 |
| m17n-contrib-tamil | 1.1.8 |
| m17n-contrib-urdu | 1.1.8 |
| libcurl-devel | 7.19.4 |
| rpm-libs | 4.6.0 |
| festival | 1.96 |
| perl-Git | 1.6.0.6 |
| PyQt4 | 4.4.4 |
| git | 1.6.0.6 |
| libsoup-devel | 2.24.2.1 |
| logwatch | 7.3.6 |
| gnome-desktop | 2.24.3 |
| foomatic | 3.0.2 |
| avahi-compat-libdns_sd | 0.6.22 |
| fuse | 2.7.4 |
| gtkhtml3 | 3.24.5 |
| avahi-qt3 | 0.6.22 |
| gimp-help-browser | 2.6.6 |
| nautilus-sendto | 1.1.2 |
| eog | 2.24.3.1 |
| quota | 3.16 |

| | |
|---------------------------|---------|
| system-config-date | 1.9.36 |
| system-config-network-tui | 1.5.95 |
| firefox | 3.0.10 |
| libmtp | 0.3.7 |
| rhythmbox | 0.11.6 |
| xorg-x11-drv-evdev | 2.1.3 |
| xorg-x11-drv-synaptics | 0.15.2 |
| kpackagekit | 0.3.1 |
| ca-certificates | 2008 |
| mailcap | 2.1.28 |
| comps-extras | 15 |
| man-pages | 3.09 |
| libICE | 1.0.4 |
| libXdmcp | 1.0.2 |
| libvorbis | 1.2.0 |
| which | 2.19 |
| libdrm | 2.4.0 |
| libtool-ltdl | 1.5.26 |
| compat-db45 | 4.5.20 |
| audiofile | 0.2.6 |
| less | 424 |
| libwmf-lite | 0.2.8.4 |
| mpfr | 2.3.2 |
| libgphoto2 | 2.4.3 |
| exiv2-libs | 0.17.1 |
| libsmbios | 2.0.1 |
| libtasn1 | 1.5 |
| dmidecode | 2.9 |
| pilot-link | 0.12.3 |
| setools-libs | 3.3.5 |
| time | 1.7 |
| procmail | 3.22 |
| libevent | 1.4.5 |
| yp-tools | 2.9 |
| libaio | 0.3.107 |
| chmlib | 0.39 |
| libasyncns | 0.7 |
| ntsysv | 1.3.38 |
| mtr | 0.75 |
| finger | 0.17 |
| setserial | 2.17 |
| sgml-common | 0.6.3 |
| fedora-release-notes | 10.0.0 |
| libidn-devel | 0.6.14 |
| gnome-mime-data | 2.18.0 |
| libstdc++-devel | 4.3.2 |
| paktype-fonts | 2.0 |
| smc-fonts-meera | 04.1 |
| libXext | 1.0.4 |

| | |
|-------------------------|----------|
| giflib | 4.1.3 |
| libXmu | 1.0.4 |
| libxkbfile | 1.0.4 |
| gnokii | 0.6.27 |
| xorg-x11-fonts-75dpi | 7.2 |
| sound-theme-freedesktop | 0.2 |
| libXft | 2.1.13 |
| scim-libs | 1.4.7 |
| ConsoleKit-libs | 0.3.0 |
| libsndfile | 1.0.17 |
| gnome-keyring | 2.24.1 |
| libgsf | 1.14.10 |
| xdg-user-dirs | 0.10 |
| arts | 1.5.10 |
| rasqal | 0.9.15 |
| at | 3.1.10 |
| libbeagle | 0.3.5 |
| gstreamer | 0.10.21 |
| vorbis-tools | 1.2.0 |
| prelink | 0.4.0 |
| stunnel | 4.26 |
| psacct | 6.3.2 |
| redhat-menus | 10.0.1 |
| libpciaccess | 0.10.3 |
| mono-data | 2.0.1 |
| libXau-devel | 1.0.4 |
| mono-extras | 2.0.1 |
| m17n-db-bengali | 1.5.3 |
| m17n-db-sinhala | 1.5.3 |
| rhpl | 0.218 |
| libuser-python | 0.56.9 |
| libsemanage-python | 2.0.28 |
| gstreamer-python | 0.10.12 |
| kudzu | 1.2.85 |
| libXaw-devel | 1.0.4 |
| python-devel | 2.5.2 |
| smartmontools | 5.38 |
| totem-gstreamer | 2.24.3 |
| PolicyKit-gnome | 0.9 |
| texlive-dvips | 2007 |
| texlive-utils | 2007 |
| ImageMagick-perl | 6.4.0.10 |
| gtkhtml2 | 2.11.1 |
| xorg-x11-drv-vooodoo | 1.2.0 |
| xorg-x11-drv-cirrus | 1.2.0 |
| xorg-x11-drv- rendition | 4.2.0 |
| xorg-x11-drv-magellan | 1.2.0 |
| xorg-x11-drv-savage | 2.2.0 |
| scim-qtim | 0.9.4 |

| | |
|----------------------------|----------|
| enscript | 1.6.4 |
| gthumb | 2.10.10 |
| gypsy-devel | 0.6 |
| redhat-rpm-config | 9.0.3 |
| intltool | 0.40.5 |
| texlive-texmf-latex | 2007 |
| gnome-python2-applet | 2.23.0 |
| sound-juicer | 2.24.0 |
| firstboot | 1.102 |
| spin-kickstarts | 0.10.3 |
| mtools | 3.9.11 |
| NetworkManager | 0.7.1 |
| revisor-gui | 2.1.4 |
| java-1.5.0-gcj-javadoc | 1.5.0.0 |
| libgcj-devel | 4.3.2 |
| regexp | 1.5 |
| junit | 3.8.2 |
| jakarta-commons-fileupload | 1.0 |
| jzlib | 1.0.7 |
| jakarta-commons-net | 1.4.1 |
| ant-apache-log4j | 1.7.1 |
| ant-junit | 1.7.1 |
| eclipse-platform | 3.4.1 |
| gnome-python2-extras | 2.19.1 |
| libssh2-devel | 0.18 |
| libsilc | 1.1.8 |
| glib2 | 2.18.4 |
| nss | 3.12.2.0 |
| pango | 1.22.3 |
| device-mapper-libs | 1.02.27 |
| libraw1394 | 2.0.1 |
| libvolume_id | 127 |
| libiec61883 | 1.2.0 |
| SDL | 1.2.13 |
| file | 4.26 |
| mesa-libGL | 7.2 |
| sip | 4.7.9 |
| kpartx | 0.4.8 |
| libconfig | 1.3.1 |
| libedit | 2.11 |
| ypbind | 1.20.4 |
| libxcb-devel | 1.1.91 |
| glibc-headers | 2.9 |
| libattr-devel | 2.4.43 |
| perl-Module-Pluggable | 3.60 |
| xdg-utils | 1.0.2 |
| cups-libs | 1.3.10 |
| xine-lib | 1.1.16.3 |
| gimp-libs | 2.6.6 |

| | |
|---------------------------------|----------|
| poppler-glib | 0.8.7 |
| selinux-policy-targeted | 3.5.13 |
| openoffice.org-brand | 3.0.1 |
| openoffice.org-impres-core | 3.0.1 |
| kdeaccessibility | 4.2.3 |
| kdegames | 4.2.3 |
| openoffice.org-langpack-en | 3.0.1 |
| kdepim | 4.2.3 |
| xinetd | 2.3.14 |
| libconfuse | 2.6 |
| rusers | 0.17 |
| xorg-x11-fonts-ISO8859-1-100dpi | 7.2 |
| freealut | 1.1.0 |
| freeglut-devel | 2.4.0 |
| xorg-x11-drv-nvidia-96xx | 96.43.11 |
| libjpeg-devel | 6b |
| rapidsvn | 0.9.6 |
| libXcursor-devel | 1.1.9 |
| neXtaw | 0.15.1 |
| gpg-pubkey | f6777c67 |
| gtksourceview2 | 2.4.2 |
| qt-mysql | 4.5.0 |
| lynx | 2.8.6 |
| opencv | 1.0.0 |
| xine-lib-pulseaudio | 1.1.16.3 |
| wpa_supplicant | 0.6.4 |
| m17n-contrib-marathi | 1.1.8 |
| m17n-contrib-sinhala | 1.1.8 |
| perl | 5.10.0 |
| solar-kde-theme | 0.1.17 |
| perl-Pod-Simple | 3.07 |
| perl-HTML-Parser | 3.59 |
| hpijs | 2.8.12 |
| rpm-build | 4.6.0 |
| preupgrade | 1.0.1 |
| dbus | 1.2.4 |
| xulrunner | 1.9.0.10 |
| control-center | 2.24.0.1 |
| gupnp | 0.12.7 |
| samba-common | 3.2.11 |
| sendmail | 8.14.3 |
| emacs-common | 22.3 |
| ntpd | 4.2.4p6 |
| cronie | 1.2 |
| compiz-gnome | 0.7.8 |
| ksshaskpass | 0.5.1 |
| avahi-autoipd | 0.6.22 |
| policycoreutils-gui | 2.0.57 |
| hal-info | 20090202 |

| | |
|-----------------------------|----------|
| PackageKit-yum | 0.3.15 |
| PackageKit-gstreamer-plugin | 0.3.15 |
| PackageKit-udev-helper | 0.3.15 |
| nodoka-metacity-theme | 0.3.90 |
| texlive-texmf-errata-dvips | 2007 |
| gnome-backgrounds | 2.24.0 |
| libgcc | 4.3.2 |
| libjpeg | 6b |
| libidn | 0.6.14 |
| libmusicbrainz | 2.1.5 |
| psmisc | 22.6 |
| slang | 2.1.4 |
| apr-util | 1.3.4 |
| iptables | 1.4.1.1 |
| pth | 2.0.7 |
| sysvinit-tools | 2.86 |
| unzip | 5.52 |
| libieee1284 | 0.2.11 |
| libavc1394 | 0.5.3 |
| iputils | 20071127 |
| libcdio | 0.80 |
| gettext-libs | 0.17 |
| pakchois | 0.4 |
| libdv | 1.0.0 |
| libvisual | 0.4.0 |
| iptstate | 2.2.1 |
| flex | 2.5.35 |
| nano | 2.0.6 |
| doxygen | 1.5.7.1 |
| dosfstools | 3.0.0 |
| strace | 4.5.18 |
| jpackage-utils | 1.7.5 |
| fedora-release | 10 |
| dejavu-fonts-experimental | 2.26 |
| lockdev-devel | 1.0.1 |
| lohit-fonts-bengali | 2.3.1 |
| abyssinica-fonts | 1.0 |
| lohit-fonts-gujarati | 2.3.1 |
| libXrender | 0.9.4 |
| libXt | 1.0.5 |
| libXcomposite | 0.4.0 |
| gcc | 4.3.2 |
| libcapture | 0.3.0 |
| texlive-texmf-fonts | 2007 |
| qt3 | 3.3.8b |
| glibmm24 | 2.18.1 |
| rarian-compat | 0.8.1 |
| libbonobo | 2.24.0 |
| xorg-x11-xinit | 1.0.9 |

| | |
|----------------------|----------|
| pinentry-qt | 0.7.4 |
| gtk-nodoka-engine | 0.7.2 |
| raptor | 1.4.18 |
| gpgme | 1.1.7 |
| gstreamer-tools | 0.10.21 |
| gnupg | 1.4.9 |
| cadaver | 0.23.2 |
| screen | 4.0.3 |
| gnome-icon-theme | 2.24.0 |
| htmlview | 4.0.0 |
| libacl-devel | 2.2.47 |
| ImageMagick | 6.4.0.10 |
| python | 2.5.2 |
| python-urlgrabber | 3.0.0 |
| libXfixes-devel | 4.0.3 |
| m17n-db-telugu | 1.5.3 |
| openssh | 5.1p1 |
| pycairo | 1.4.12 |
| plymouth-utils | 0.6.0 |
| man | 1.6f |
| isomd5sum | 1.0.4 |
| pyorbit | 2.24.0 |
| python-slip-gtk | 0.1.15 |
| openldap-devel | 2.4.12 |
| gnome-user-share | 0.40 |
| dhcpv6-client | 1.0.22 |
| coolkey | 1.1.0 |
| libgnomeui | 2.24.0 |
| sane-backends | 1.0.19 |
| perl-Date-Manip | 5.48 |
| xml-commons-apis | 1.3.04 |
| libgnomecups | 0.2.3 |
| perl-String-CRC32 | 1.4 |
| scim | 1.4.7 |
| xorg-x11-drv-apm | 1.2.0 |
| xorg-x11-drv-ur98 | 1.1.0 |
| xorg-x11-drv-r128 | 6.8.0 |
| xorg-x11-drv-i740 | 1.2.0 |
| scim-rawcode | 1.4.7 |
| kftpgrabber | 0.8.1 |
| fbset | 2.1 |
| totem-mozplugin | 2.24.3 |
| saxon | 6.5.5 |
| automake15 | 1.5 |
| gnome-python2 | 2.22.3 |
| gnome-python2-canvas | 2.22.3 |
| totem-xine | 2.24.3 |
| rpcbind | 0.1.7 |
| nash | 6.0.71 |

| | |
|----------------------------|----------|
| makebootfat | 1.4 |
| livecd-tools | 020.1 |
| java-1.5.0-gcj | 1.5.0.0 |
| tomcat6-servlet-2.5-api | 6.0.18 |
| classpathx-jaf | 1.0 |
| jakarta-commons-digester | 1.7 |
| jakarta-commons-el | 1.0 |
| jakarta-commons-launcher | 1.1 |
| qdox | 1.6.1 |
| tomcat6-jsp-2.1-api | 6.0.18 |
| ant-apache-oro | 1.7.1 |
| ant-javamail | 1.7.1 |
| eclipse-jdt | 3.4.1 |
| python-iniparse | 0.2.4 |
| control-center-filesystem | 2.24.0.1 |
| liberation-fonts | 1.04.92 |
| libpng | 1.2.35 |
| elfutils-libelf | 0.141 |
| libgcrypt | 1.4.4 |
| poppler | 0.8.7 |
| gpm | 1.20.5 |
| fuse-libs | 2.7.4 |
| pciutils | 3.0.2 |
| bluez-libs | 4.30 |
| jasper | 1.900.1 |
| mesa-libGLU | 7.2 |
| glibc-common | 2.9 |
| device-mapper-multipath | 0.4.8 |
| libtirpc | 0.1.10 |
| libhangul | 0.0.8 |
| tar | 1.20 |
| elfutils-libelf-devel | 0.141 |
| libgpg-error-devel | 1.6 |
| docbook-style-xsl | 1.74.0 |
| krb5-libs | 1.6.3 |
| gtk2 | 2.14.7 |
| util-linux-ng | 2.14.1 |
| selinux-policy | 3.5.13 |
| openoffice.org-core | 3.0.1 |
| kdegames-libs | 4.2.3 |
| openoffice.org-writer-core | 3.0.1 |
| openoffice.org-writer | 3.0.1 |
| kdeutils-printer-applet | 4.2.3 |
| kdebase-runtime | 4.2.3 |
| kdemultimedia | 4.2.3 |
| wxBase | 2.8.9 |
| xterm | 242 |
| roxterm | 1.14.1 |
| imake | 1.0.2 |

| | |
|---------------------------|----------|
| mesa-libGLU-devel | 7.2 |
| system-config-display | 1.1.1 |
| fontconfig-devel | 2.6.0 |
| jdk | 1.6.0_13 |
| libXinerama-devel | 1.0.3 |
| cmake | 2.6.4 |
| xemacs-common | 21.5.28 |
| festival-speechtools-libs | 1.2.96 |
| gucharmap | 2.24.3 |
| sudo | 1.6.9p17 |
| gpsd | 2.37 |
| evince-djvu | 2.24.2 |
| m17n-contrib-punjabi | 1.1.8 |
| m17n-contrib-telugu | 1.1.8 |
| krb5-devel | 1.6.3 |
| perl-libs | 5.10.0 |
| yum | 3.2.21 |
| perl-ExtUtils-MakeMaker | 6.36 |
| perl-DBI | 1.607 |
| qedje | 0.3.0 |
| PackageKit-yum-plugin | 0.3.15 |
| initscripts | 8.86.3 |
| udev | 127 |
| gnome-panel-libs | 2.24.3 |
| gnome-settings-daemon | 2.24.1 |
| policycoreutils | 2.0.57 |
| geoclue | 0.11.1.1 |
| systemtap | 0.9.7 |
| gimp | 2.6.6 |
| emacs | 22.3 |
| guidance-power-manager | 4.2.0 |
| file-roller | 2.24.3 |
| httpd | 2.2.11 |
| geoclue-devel | 0.11.1.1 |
| gnome-panel | 2.24.3 |
| xorg-x11-drv-vesa | 2.2.0 |
| hplip | 2.8.12 |
| linuxwacom | 0.8.0.3 |
| xorg-x11-drv-vmmouse | 12.6.3 |
| xml-common | 0.6.3 |
| gnome-audio | 2.22.2 |
| zlib | 1.2.3 |
| libusb | 0.1.12 |
| libogg | 1.1.3 |
| libxslt | 1.1.24 |
| ilmbase | 1.0.1 |
| bzip2 | 1.0.5 |
| libfontenc | 1.0.4 |
| eject | 2.1.5 |

| | |
|---------------------|------------|
| libXfont | 1.3.3 |
| pinentry | 0.7.4 |
| checkpolicy | 2.0.16 |
| libcapseo | 0.2.0 |
| hesiod | 3.1.0 |
| libdaemon | 0.13 |
| dmraid | 1.0.0.rc15 |
| libzip | 0.8 |
| wireless-tools | 29 |
| pax | 3.4 |
| Canna-libs | 3.7p3 |
| libvncserver | 0.9.1 |
| lzma-libs | 4.32.7 |
| joe | 3.5 |
| lsof | 4.80 |
| talk | 0.17 |
| rdist | 6.1.5 |
| unix2dos | 2.2 |
| mpage | 2.5.6 |
| hunspell-en | 0.20080829 |
| boost-devel | 1.34.1 |
| libcap-devel | 2.10 |
| kacst-fonts | 2.0 |
| lohit-fonts-kannada | 2.3.1 |
| bzip2-devel | 1.0.5 |
| libXrandr | 1.2.3 |
| libXv | 1.0.4 |
| libXvMC | 1.0.4 |
| gcc-c++ | 4.3.2 |
| fedora-logos | 10.0.1 |
| cairo | 1.8.0 |
| gamin | 0.1.9 |
| libgcj | 4.3.2 |
| module-init-tools | 3.5 |
| notification-daemon | 0.3.7.90 |
| tix | 8.4.3 |
| rdesktop | 1.6.0 |
| xorg-x11-utils | 7.4 |
| libcroco | 0.6.1 |
| tcpdump | 3.9.8 |
| icedax | 1.1.8 |
| urw-fonts | 2.4 |
| pinfo | 0.6.9 |
| mono-core | 2.0.1 |
| ndesk-dbus | 0.6.1a |
| libXext-devel | 1.0.4 |
| at-spi-python | 1.24.0 |
| m17n-db-assamese | 1.5.3 |
| m17n-db-kannada | 1.5.3 |

| | |
|--------------------------|----------|
| system-config-language | 1.3.2 |
| pygobject2 | 2.15.4 |
| python-imaging | 1.1.6 |
| cyrus-sasl-devel | 2.1.22 |
| texinfo-tex | 4.12 |
| yum-metadata-parser | 1.1.2 |
| mdadm | 2.6.7.1 |
| alchemist | 1.0.37 |
| mono-addins | 0.3.1 |
| python-ldap | 2.3.5 |
| fedora-screensaver-theme | 1.0.0 |
| gnome-vfs2 | 2.24.0 |
| sane-backends-libs | 1.0.19 |
| gnome-media | 2.24.0.1 |
| automake | 1.10.1 |
| perl-SGMLSpm | 1.03ii |
| sinjdoc | 0.5 |
| kdnssd-avahi | 0.1.3 |
| libgail-gnome | 1.20.1 |
| xorg-x11-drv-tdfx | 1.4.0 |
| xorg-x11-drv-trident | 1.3.0 |
| xorg-x11-drv-hyperpen | 1.2.0 |
| xorg-x11-drv-palmax | 1.2.0 |
| xorg-x11-drv-ast | 0.85.0 |
| xorg-x11-drv-mutouch | 1.2.1 |
| xorg-x11-drv-vmware | 10.16.0 |
| xorg-x11-drv-spaceorb | 1.1.0 |
| subversion | 1.5.4 |
| dasher | 4.9.0 |
| libuser-devel | 0.56.9 |
| perl-XML-Parser | 2.36 |
| tex-preview | 11.85 |
| nautilus-cd-burner | 2.24.0 |
| tomboy | 0.12.0 |
| plymouth-gdm-hooks | 0.6.0 |
| NetworkManager-glib | 0.7.1 |
| python-pyblock | 0.32 |
| system-config-kickstart | 2.7.20 |
| tomcat5-jsp-2.0-api | 5.5.27 |
| objectweb-asm | 3.1 |
| xml-commons-resolver | 1.1 |
| gcc-java | 4.3.2 |
| jdepend | 2.6 |
| jsch | 0.1.39 |
| ant-apache-resolver | 1.7.1 |
| ant-antlr | 1.7.1 |
| fedora-usermgmt | 0.10 |
| setup | 2.7.4 |
| vlgothic-fonts-common | 20090422 |

| | |
|---------------------------------|----------|
| oxygen-icon-theme | 4.2.2 |
| dbus-libs | 1.2.4 |
| audit-libs | 1.7.12 |
| libxcb | 1.1.91 |
| file-libs | 4.26 |
| device-mapper | 1.02.27 |
| exempi | 2.1.0 |
| libv4l | 0.5.9 |
| vnc-libs | 4.1.3 |
| paps-libs | 0.6.8 |
| libselinux-utils | 2.0.78 |
| eet | 1.1.0 |
| aalib-libs | 1.4.0 |
| fftw | 3.2.1 |
| libmusicbrainz3 | 3.0.2 |
| nss-tools | 3.12.2.0 |
| libxml2-devel | 2.7.3 |
| xorg-x11-fonts-ISO8859-1-75dpi | 7.2 |
| libgcrypt-devel | 1.4.4 |
| perl-version | 0.74 |
| alsa-lib | 1.0.20 |
| gawk | 3.1.6 |
| libgweather | 2.24.2 |
| rsyslog | 3.21.10 |
| libX11 | 1.1.5 |
| kdebase-libs | 4.2.3 |
| openoffice.org-presenter-screen | 3.0.1 |
| kdeedu-libs | 4.2.3 |
| kdenetwork | 4.2.3 |
| kdeutils | 4.2.3 |
| kdebase-workspace | 4.2.3 |
| sendmail-cf | 8.14.3 |
| lesstif | 0.95.0 |
| kdetoys | 4.2.3 |
| ddd | 3.3.11 |
| glew | 1.5.1 |
| rpmfusion-nonfree-release | 8 |
| kmod-nvidia-96xx | 96.43.11 |
| openmotif-devel | 2.3.0 |
| pixman-devel | 0.12.0 |
| gtk2-devel | 2.14.7 |
| gftp | 2.0.18 |
| vnc-server | 4.1.3 |
| gtkmm24 | 2.14.3 |
| zenity | 2.24.1 |
| gzip | 1.3.12 |
| libmsn | 4.0 |
| scim-anthy | 1.2.7 |
| kerneloops | 0.12 |

| | |
|-----------------------|---------|
| e2fsprogs-devel | 1.41.4 |
| m17n-contrib-assamese | 1.1.8 |
| openssl-devel | 0.9.8g |
| net-snmp-libs | 5.4.2.1 |
| perl-IO-Compress-Base | 2.008 |
| perl-URI | 1.37 |
| net-snmp | 5.4.2.1 |
| perl-DBD-MySQL | 4.005 |
| vim-enhanced | 7.2.148 |
| hal-libs | 0.5.12 |
| avahi-glib | 0.6.22 |
| libsmbclient | 3.2.11 |
| libpurple | 2.5.5 |
| gnome-python2-libegg | 2.19.1 |
| nss_ldap | 264 |
| mysql-server | 5.0.77 |
| samba-client | 3.2.11 |
| imsettings | 0.105.1 |
| dbus-devel | 1.2.4 |
| gutenprint-foomatic | 5.2.3 |
| libgpod | 0.6.0 |
| gdm | 2.24.1 |
| amarok | 2.0.2 |
| konq-plugins | 4.2.2 |
| PackageKit-glib | 0.3.15 |
| xorg-x11-drv-keyboard | 1.3.2 |
| gnome-packagekit | 0.3.14 |
| iso-codes | 3.3 |
| ncurses-base | 5.6 |
| ncurses-libs | 5.6 |
| libnl | 1.1 |
| speex | 1.2 |
| wavpack | 4.50.1 |
| libksba | 1.0.4 |
| libpcap | 0.9.8 |
| ed | 1.1 |
| cdrdao | 1.2.2 |
| libthai | 0.1.9 |
| ftp | 0.17 |
| vconfig | 1.9 |
| xorg-x11-filesystem | 7.3 |
| popt-devel | 1.13 |
| expat-devel | 2.0.1 |
| lohit-fonts-hindi | 2.3.1 |
| startup-notification | 0.9 |
| dbus-glib | 0.76 |
| libmng | 1.0.9 |
| nfs-utils-lib | 1.1.4 |
| plymouth-plugin-label | 0.6.0 |

| | |
|-------------------------|-----------|
| gstreamer-plugins-base | 0.10.21 |
| vsftpd | 2.0.7 |
| ccache | 2.4 |
| python-libs | 2.5.2 |
| m17n-db-gujarati | 1.5.3 |
| gettext | 0.17 |
| kernel | 2.6.27.5 |
| gmime-sharp | 2.2.21 |
| openssh-askpass | 5.1p1 |
| pcsc-lite | 1.4.102 |
| coolkey-devel | 1.1.0 |
| docbook-dtds | 1.0 |
| jdom | 1.0 |
| xorg-x11-drv-dummy | 0.3.0 |
| xorg-x11-drv-wiimote | 0.0.1 |
| xorg-x11-drv-mach64 | 6.8.0 |
| xorg-x11-drv-i128 | 1.3.0 |
| automake16 | 1.6.3 |
| gnome-python2-gnomevfs | 2.22.3 |
| pyx86config | 0.3.37 |
| revisor-comps | 2.1.4 |
| jakarta-commons-logging | 1.0.4 |
| antlr | 2.7.7 |
| ant-trax | 1.7.1 |
| jetty | 5.1.14 |
| kernel-firmware | 2.6.27.21 |
| libselinux | 2.0.78 |
| libgtop2 | 2.24.3 |
| procps | 3.2.7 |
| elfutils | 0.141 |
| upstart | 0.3.9 |
| vim-common | 7.2.148 |
| attr | 2.4.43 |
| kernel-devel | 2.6.27.21 |
| gnutls-devel | 2.4.2 |
| soprano | 2.2.3 |
| evince | 2.24.2 |
| curl | 7.19.4 |
| gtkspell | 2.0.15 |
| gnupg2 | 2.0.10 |
| m17n-contrib-malayalam | 1.1.8 |
| perl-devel | 5.10.0 |
| poppler-qt4 | 0.8.7 |
| patchutils | 0.3.1 |
| PolicyKit | 0.9 |
| samba-winbind | 3.2.11 |
| totem-pl-parser | 2.24.3 |
| nscd | 2.9 |
| ntp | 4.2.4p6 |

| | |
|------------------------|----------|
| orca | 2.24.3 |
| nfs-utils | 1.1.4 |
| gupnp-devel | 0.12.7 |
| digikam-libs | 0.10.0 |
| xorg-x11-drv-geode | 2.11.0 |
| kdeartwork-sounds | 4.2.3 |
| netpbm | 10.35.64 |
| netpbm-progs | 10.35.64 |
| kdepim-libs | 4.2.3 |
| gtk+ | 1.2.10 |
| xorg-x11-fonts-misc | 7.2 |
| mesa-libGLw-devel | 6.5.1 |
| libpng-devel | 1.2.35 |
| libXrandr-devel | 1.2.3 |
| adobe-release-i386 | 1.0 |
| mythes-en | 3.0 |
| info | 4.12 |
| grep | 2.5.1a |
| tcp_wrappers-libs | 7.6 |
| m4 | 1.4.11 |
| apr | 1.3.3 |
| libdhcp6client | 1.0.22 |
| tcl | 8.5.3 |
| babl | 0.0.22 |
| smbios-utils | 2.0.1 |
| cryptsetup-luks | 1.0.6 |
| linux-atm-libs | 2.5.0 |
| libtextcat | 2.2 |
| libnetfilter_conntrack | 0.0.97 |
| mlocate | 0.21.1 |
| traceroute | 2.0.12 |
| ctags | 5.7 |
| keyutils-libs-devel | 1.2 |
| dejavu-fonts | 2.26 |
| gmp-devel | 4.2.2 |
| thaifonts-scalable | 0.4.9 |
| libXcursor | 1.1.9 |
| libXxf86misc | 1.0.1 |
| opensp | 1.5.2 |
| libXdmp-devel | 1.0.2 |
| enchant | 1.4.2 |
| ConsoleKit | 0.3.0 |
| usermode | 1.98.1 |
| libIDL | 0.8.11 |
| gtk2-engines | 2.16.1 |
| wodim | 1.1.8 |
| dbus-python | 0.83.0 |
| authconfig | 5.4.4 |
| python-numeric | 24.2 |

| | |
|-----------------------------|-------------|
| tkinter | 2.5.2 |
| system-config-users | 1.2.81 |
| ifd-egate | 0.05 |
| gnome-mount | 0.8 |
| docbook-style-dsssl | 1.79 |
| java_cup | 0.10k |
| gettext-devel | 0.17 |
| xorg-x11-drv-sisusb | 0.9.0 |
| xorg-x11-drv-sis | 0.10.0 |
| xorg-x11-drv-summa | 1.2.0 |
| xorg-x11-drv-acecad | 1.2.2 |
| planner | 0.14.3 |
| xorg-x11-drivers | 7.3 |
| gnome-python2-desktop | 2.23.0 |
| gnome-python2-bonobo | 2.22.3 |
| pykickstart | 1.47 |
| pyparted | 1.8.9 |
| tomcat5-servlet-2.4-api | 5.5.27 |
| classpathx-mail | 1.1.1 |
| mx4j | 3.0.1 |
| ant-apache-bsf | 1.7.1 |
| fedora-usermgmt-core | 0.10 |
| tzdata-java | 2009e |
| freetype | 2.3.7 |
| jasper-libs | 1.900.1 |
| libarchive | 2.5.5 |
| libselenium-python | 2.0.78 |
| rsync | 3.0.5 |
| lensfun | 0.2.3 |
| glx-utils | 7.2 |
| gnome-doc-utils-stylesheets | 0.14.0 |
| binutils-devel | 2.18.50.0.9 |
| strigi-libs | 0.6.4 |
| mysql-libs | 5.0.77 |
| imsettings-libs | 0.105.1 |
| kasumi | 2.4 |
| libgadu | 1.8.2 |
| scim-chewing | 0.3.3 |
| m17n-contrib-gujarati | 1.1.8 |
| phonon | 4.3.1 |
| perl-Test-Harness | 3.16 |
| phonon-backend-xine | 4.3.1 |
| scribus | 1.3.5 |
| dbus-x11 | 1.2.4 |
| eel2 | 2.24.1 |
| bug-buddy | 2.24.2 |
| gnome-screensaver | 2.24.1 |
| gssdp-devel | 0.6.4 |
| system-config-network | 1.5.95 |

| | |
|---------------------------|---------|
| kipi-plugins | 0.2.0 |
| xorg-x11-drv-i810 | 2.5.0 |
| kdelibs-common | 4.2.3 |
| openoffice.org-calc-core | 3.0.1 |
| kdegraphics | 4.2.3 |
| openoffice.org-draw | 3.0.1 |
| glib | 1.2.10 |
| splint | 3.1.2 |
| freetype-devel | 2.3.7 |
| lesstif-devel | 0.95.0 |
| libXi-devel | 1.1.3 |
| xemacs | 21.5.28 |
| desktop-backgrounds-basic | 9.0.0 |
| libacl | 2.2.47 |
| findutils | 4.4.0 |
| gdbm | 1.8.0 |
| taglib | 1.5 |
| patch | 2.5.4 |
| MAKEDEV | 3.24 |
| iptables-ipv6 | 1.4.1.1 |
| hdparm | 8.6 |
| m17n-lib | 1.5.3 |
| libwiimote | 0.4 |
| slrn | 0.9.9p1 |
| cscope | 15.6 |
| symlinks | 1.2 |
| texlive-texmf-dvips | 2007 |
| lklug-fonts | 0.2.2 |
| lohit-fonts-oriya | 2.3.1 |
| libXdamage | 1.1.1 |
| xorg-x11-font-utils | 7.2 |
| hicolor-icon-theme | 0.10 |
| PolicyKit-gnome-libs | 0.9 |
| logrotate | 3.7.7 |
| libgssglue | 0.1 |
| libnotify | 0.4.4 |
| libsamplerate | 0.1.4 |
| qca-openssl | 2.0.0 |
| gypsy | 0.6 |
| WebKit-gtk | 1.0.0 |
| libsvg2 | 2.22.3 |
| xdg-user-dirs-gtk | 0.8 |
| elinks | 0.12 |
| plymouth-scripts | 0.6.0 |
| bitmap-fonts | 0.3 |
| usbutils | 0.73 |
| python-slip | 0.1.15 |
| spambayes | 1.0.4 |
| m17n-db-punjabi | 1.5.3 |

| | |
|---|----------|
| libXt-devel | 1.0.5 |
| gnome-python2-libwnck | 2.23.0 |
| libogg-devel | 1.1.3 |
| xorg-x11-drv-siliconmotion | 1.6.0 |
| xorg-x11-drv-microtouch | 1.2.0 |
| xorg-x11-drv-aiptek | 1.1.1 |
| python-bugzilla | 0.4 |
| libudev0 | 127 |
| tomcat5-jasper | 5.5.27 |
| log4j | 1.2.14 |
| jakarta-commons-httpclient | 3.1 |
| eclipse-swt | 3.4.1 |
| ant-apache-bcel | 1.7.1 |
| xkeyboard-config | 1.4 |
| bash | 3.2 |
| nspr | 4.7.3 |
| libtdb | 1.1.1 |
| libxml2-python | 2.7.3 |
| libgdiplus | 2.2 |
| vim-minimal | 7.2.148 |
| oprofile | 0.9.4 |
| libdiscid | 0.2.2 |
| libselenium-devel | 2.0.78 |
| pciutils-devel | 3.0.2 |
| aspell | 0.60.6 |
| libcurl | 7.19.4 |
| unique | 1.0.8 |
| mysql-embedded | 5.0.77 |
| gedit | 2.24.3 |
| hplip-libs | 2.8.12 |
| perl-Compress-Zlib | 2.008 |
| gnome-speech | 0.4.22 |
| yum-utils | 1.1.19 |
| gvfs | 1.0.3 |
| gvfs-gphoto2 | 1.0.3 |
| irqbalance | 0.55 |
| xorg-x11-server-Xorg | 1.5.3 |
| PackageKit-qt | 0.3.15 |
| kdegraphics-libs | 4.2.3 |
| kdeedu-marble | 4.2.3 |
| libX11-devel | 1.1.5 |
| telnet-server | 0.17 |
| yakuake | 2.9.4 |
| openal | 0.0.9 |
| kmod-nvidia-96xx-2.6.27.21-170.2.56.fc10.i686 | 96.43.11 |
| glade2 | 2.12.2 |
| compface | 1.5.2 |
| m17n-db | 1.5.3 |
| texlive-texmf-errata-fonts | 2007 |

| | |
|--------------------|---------|
| fedora-bookmarks | 10 |
| chkconfig | 1.3.38 |
| expat | 2.0.1 |
| libcap | 2.10 |
| flac | 1.2.1 |
| libtheora | 1.0rc1 |
| clucene-core | 0.9.21 |
| cracklib | 2.8.12 |
| parted | 1.8.8 |
| libmpcdec | 1.2.6 |
| libpaper | 1.1.23 |
| gsm | 1.0.12 |
| ustr | 1.0.4 |
| indent | 2.2.10 |
| rsh | 0.17 |
| texlive-texmf | 2007 |
| readline-devel | 5.2 |
| jomohari-fonts | 0.003 |
| khmeros-fonts-base | 5.0 |
| libXinerama | 1.0.3 |
| xorg-x11-xkb-utils | 7.2 |
| atk | 1.24.0 |
| qimageblitz | 0.0.4 |
| cairomm | 1.6.2 |
| gnome-keyring-pam | 2.24.1 |
| setuptools | 1.19.4 |
| gmime | 2.2.21 |
| pam_passwdqc | 1.0.5 |
| fedora-gnome-theme | 8.0.0 |
| libspectre | 0.2.1 |
| mono-data-sqlite | 2.0.1 |
| smolt | 1.1.1.1 |
| plymouth | 0.6.0 |
| dnsmasq | 2.45 |
| smolt-firstboot | 1.1.1.1 |
| microcode_ctl | 1.17 |
| genisoimage | 1.1.8 |
| perl-HTML-Tagset | 3.10 |
| libgnomeprint22 | 2.18.5 |
| scim-bridge | 0.4.15 |
| xorg-x11-drv-glint | 1.2.1 |
| xorg-x11-drv-fbdev | 0.3.1 |
| scim-bridge-qt | 0.4.15 |
| gnome-pilot | 2.0.16 |
| libvorbis-devel | 1.2.0 |
| totem-nautilus | 2.24.3 |
| alacarte | 0.11.6 |
| booty | 0.107 |
| syslinux | 3.61 |

| | |
|----------------------------|------------|
| libgcj-src | 4.3.2 |
| xerces-j2 | 2.7.1 |
| jakarta-commons-pool | 1.3 |
| hamcrest | 1.1 |
| ant-apache-regexp | 1.7.1 |
| eclipse-pde | 3.4.1 |
| words | 3.0 |
| e2fsprogs-libs | 1.41.4 |
| gnutls | 2.4.2 |
| e2fsprogs | 1.41.4 |
| loudmouth | 1.4.3 |
| iproute | 2.6.27 |
| ethtool | 6 |
| libnfnetwork | 0.0.39 |
| cpuspeed | 1.5 |
| glibc-devel | 2.9 |
| mesa-libGL-devel | 7.2 |
| libglade2 | 2.6.3 |
| esound-libs | 0.2.41 |
| gutenprint | 5.2.3 |
| evince-dvi | 2.24.2 |
| m17n-contrib-oriya | 1.1.8 |
| pam-devel | 1.0.4 |
| kde-filesystem | 4 |
| festvox-slt-arctic-hts | 0.20061229 |
| qtscriptbindings | 0.1.0 |
| shadow-utils | 4.1.2 |
| evolution-data-server | 2.24.5 |
| system-config-printer-libs | 1.0.16 |
| gvfs-fuse | 1.0.3 |
| avahi-tools | 0.6.22 |
| cheese | 2.24.3 |
| anacron | 2.3 |
| gnome-applets | 2.24.3.1 |
| setroubleshoot-plugins | 2.0.12 |
| xorg-x11-drv-penmount | 1.4.0 |
| kdepimlibs | 4.2.3 |
| kio_msits | 4.2.3 |
| openoffice.org-math | 3.0.1 |
| kdeartwork | 4.2.3 |
| tilda | 0.9.6 |
| freelut | 2.4.0 |
| livna-config-display | 0.0.22 |
| compat-db46 | 4.6.21 |
| xmlrpc | 2.0.1 |